## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

## Supplier's name or trade mark: Schiefer

Supplier's address: Schiefer Lighting, Potterbakkerstraat 35, 4871EP Etten-Leur, NL

## Model identifier: 229889600

## Type of light source:

Lighting technology used:	other	Non-directional or directional:	NDLS			
Light source cap-type	Ba22d					
(or other electric interface)						
Mains or non-mains:	MLS	Connected light source (CLS):	No			
Colour-tuneable light source:	No	Envelope:	-			
High luminance light source:	No					
Anti-glare shield:	No	Dimmable:	Yes			
Product parameters						

Parameter		Value	Parameter	Value		
General product parameters:						
0,	nption in on- 00 h), rounded st integer	60	Energy efficiency class	G		
dicating if it refe a sphere (360 <sup>o</sup> )	s flux (φuse), in- ers to the flux in , in a wide cone rrow cone (90º)	400 in Sphere (360°)	Correlated colour temperature, rounded to the near- est 100 K, or the range of correlat- ed colour temper- atures, rounded to the nearest 100 K, that can be set	2 500		
On-mode pow pressed in W	ver (P <sub>on</sub> ), ex-	60,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00		
(P <sub>net</sub> ) for CLS, e	andby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	100		
Outer dimen-	Height	98	Spectral power dis-	See image		
sions without separate con- trol gear, light- ing control	Width Depth	38 38	tribution in the range 250 nm to 800 nm, at full-load	in last page		

parts and non- lighting con- trol parts, if any (millime- tre)			
Claim of equivalent pow	er <sup>(a)</sup> -	If yes, equivalent power (W)	-
		Chromaticity coordi- nates (x and y)	0,467 0,407

(a)'-' : not applicable;

(b)'-' : not applicable;

